



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

- X Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)
- Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
January 10, 2008	S2-30445	S2-30445	

NAME			
Waldemar Szwajkowski			
ADDRESS (STREET)	(CITY)	(STATE)	(ZIP CODE)
2519 Summit Lake shore Road NW	Olympia	Washington	98502

The applicant is hereby granted a permit to appropriate the following public waters of the State of Washington, subject to existing rights and to the limitations and provisions set herein.

PUBLIC WATERS TO BE APPROPRIATED

SOURCE		
Summit Lake		
TRIBUTARY OF (IF SURFACE WATERS)		
Kennedy Creek		
MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE	MAXIMUM ACRE FEET PER YEAR
0.02		0.34
QUANTITY, TYPE OF USE, PERIOD OF USE		
0.34 Acre-feet per year	Single domestic supply (In-house use only)	Year-round, as needed

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION--WITHDRAWAL
1805 ft West and 1184 ft South of the NE corner of Section 13 (Longitude: -123.12364 by Latitude: 47.05321).

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE, (E. OR W.) W.M.	W.R.I.A.	COUNTY
NW1/4 NE1/4	13	18	4W	14	Thurston

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)
1	Water Front	North Shore Summit Lake

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

Plat NORTH SHORE SUMMIT LAKE; SS-0141 LT 1 Document 002/187

Tax Parcel No. 65400010201

Address: 2519 Summit Lake Shore Rd NW

DESCRIPTION OF PROPOSED WORKS

A screened intake, water line, 1 horsepower pump, pressure tank, water filtration, uv system, and meter.

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE:

April 1, 2010

COMPLETE PROJECT BY THIS DATE:

April 1, 2011

WATER PUT TO FULL USE BY THIS DATE:

April 1, 2012

PROVISIONS

Use of water authorized under this permit/certificate shall be limited to in-house use only.

At such a time that a public water supply becomes available to the place of use of this permit/certificate, the water right shall be relinquished.

An approved measuring device shall be installed and maintained for the source identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", Chapter 173-173 WAC.

Water use data shall be recorded annually and maintained by the property owner for a minimum of five years, and shall be promptly submitted to Ecology upon request.

Chapter 173-173 WAC describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition Ecology for modifications to some of the requirements. Installation, operation and maintenance requirements are enclosed as a document entitled "Water Measurement Device Installation and Operation Requirements".

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the records of water use that are kept to meet the above conditions, and to inspect at reasonable times any measuring device used to meet the above conditions.

The permit is issued subject to Washington Department of Fish and Wildlife screening criteria as outlined in a hydraulic project approval. Please contact the Department of Fish and Wildlife, 600 Capital Way North, Olympia, Washington, 98501-1091, Attention: Habitat Management Division, (360) 902-2534, to obtain specific requirements for your project.

The Permittee is advised that notice of Proof of Appropriation of water (under which the final certificate of water right is issued) should not be filed until the permanent distribution system has been constructed and that quantity of water allocated by the permit to the extent water is required, has been put to full beneficial use.

This authorization shall in no way excuse the Permittee from compliance with any applicable federal, state, or local statutes, ordinances, or regulations including those administered by other programs of the Department of Ecology and those administered by local agencies.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington,

this 8th day of May, 2009.

Department of Ecology

OK R

by Thomas Loranger
Thomas Loranger, Section Manager

If you require this publication in an alternate format, please contact Water Resources at (360) 407-6300, or TTY (for the speech or hearing impaired) 711 or 800-833-6388.